

Math 152 Sec S07N02 Test 2 – Mar 8 2007

$name\ (printed)$	$student\ number$
I have read and understood	
the instructions below:	
the limber decions below.	signature
	- J. wow o

#### **Instructions:**

- 1. No notes or books are to be used in this test. If you need scrap paper please ask and some will be provided. Refer to the last page for a list of formulas.
- 2. A non-programmable, non-graphing calculator is permitted.
- 3. There are 7 pages (including this cover page) in the test. Justify every answer, and clearly show your work. Unsupported answers will receive no credit.
- 4. You will be given 50 minutes to write this test. Read over the test before you begin.
- 5. At the end of the test you will be given the instruction "Put away all writing implements and remain seated." Continuing to write after this instruction will be considered as cheating.
- 6. Academic dishonesty: Exposing your paper to another student, copying material from another student, or representing your work as that of another student constitutes academic dishonesty. Cases of academic dishonesty may lead to a zero grade in the test, a zero grade in the course, and other measures, such as suspension from this university.


Question	value	score
1	10	
2	10	
3	10	
4	10	
5	10	
Total	50	

## Question 1:

(a)[3 points] Convert  $-2\pi/15$  radians to degrees.

(b)[3 points] A right triangle has acute angles  $\alpha$  and  $\beta$ . If  $\tan \alpha = \frac{4}{3}$ , what is  $\csc \beta$ .

(c)[4 points] Referring to the unit circle below, find the exact numerical value of  $\tan (\theta + \pi)$ .



## Question 2

(a)[7 points] Neatly sketch the graph of  $y = 1 + 2\sin(4x - \pi)$ , showing at least two complete cycles of the function.

(b)[3 points] State the period, amplitude and phase shift of the function in part (a).

## Question 3

(a)[2 points] Find the exact value of  $\csc\left(\frac{17\pi}{4}\right)$ .

(b)[3 points] Express  $\sin(\tan^{-1}(3/x))$  in terms of x (without trig functions).

(c)[3 points] Use trigonometric identities to find the exact value of  $\sin\left(\frac{7\pi}{12}\right)$ . (Hint:  $\frac{1}{4} + \frac{1}{3} = \frac{7}{12}$ .)

(d)[2 points] Use (c) to find  $\cos\left(\frac{7\pi}{24}\right)$ .

#### Question 4 [10 points]

An observer standing at the top of a tower is looking down at a nearby tree. The tower and tree are on level ground, and the observer's eyes are 20 m above the ground. The observer's line of sight to the top of the tree has an angle of depression of 35°, while the line of sight to the base of the tree has an angle of depression of 65°. How tall is the tree?

## Question 5

(a)[5 points] Simplify

$$(\sin x + \cos x)^2 - \sin(2x)$$

(b)[5 points] Find all solution in  $[0, 2\pi)$  of

$$3\cos x - 2\cos^2 x = 1$$

# You may find some of the following formulas useful:

$$\sin^{2}(A) + \cos^{2}(A) = 1$$

$$\sin(A + B) = \sin(A)\cos(B) + \cos(A)\sin(B)$$

$$\sin(A - B) = \sin(A)\cos(B) - \cos(A)\sin(B)$$

$$\cos(A + B) = \cos(A)\cos(B) - \sin(A)\sin(B)$$

$$\cos(A - B) = \cos(A)\cos(B) + \sin(A)\sin(B)$$

$$\sin(2A) = 2\sin(A)\cos(A)$$

$$\cos(2A) = 2\sin^{2}(A) - \sin^{2}(A)$$

$$\cos(2A) = 1 - 2\sin^{2}(A)$$

$$\cos(2A) = 2\cos^{2}(A) - 1$$

$$\sin(A/2) = \pm \sqrt{\frac{1 - \cos(A)}{2}}$$

 $\cos\left(A/2\right) = \pm\sqrt{\frac{1+\cos\left(2A\right)}{2}}$