## Question 1:

(a)[3] Determine  $\lim_{x\to 0^+} \arctan\left(-1/\sqrt{x}\right)$ .

(b)[4] Determine an equation of the tangent line to the curve  $y = 3 \arccos(x/2)$  at the point where x = 1.

(c)[3] Simplify sec(arctan(a/b)). Your final answer should not contain any trigonometric or inverse trigonometric functions.

## Question 2:

(a)[6] Determine the two values of x at which the tangent lines to the curve  $y = \sinh x$  have slope 2.

(b)[4] Let  $f(x) = \sinh(x + \sinh^2 x)$ . Determine f'(0).

Question 3:

(a)[4] Evaluate  $\lim_{x\to -\infty} x^2 e^{2x}$ .

(b)[3] Evaluate  $\lim_{x\to\infty} x^{1/(1+\ln x)}$  .

(c)[3] Evaluate  $\lim_{x \to 1} \frac{\ln x}{\sin (\pi x)}$ .

(a)[3] Evaluate  $\lim_{x \to 1^+} \left( \frac{x}{x-1} - \frac{1}{\ln x} \right)$ .

(b)[4] Determine f(x) if  $f''(x) = \frac{-1}{x^2}$  where f'(1) = 2 and f(1) = 4.

(c)[3] Determine the most general antiderivative of  $f(x) = \frac{2}{\sqrt{1-x^2}} + \pi \sin x$  .

## Question 5:

(a)[4] The limit

$$\lim_{n \to \infty} \sum_{i=1}^{n} \left[ \left(\frac{i}{n}\right)^2 - 2 \right] \left(\frac{1}{n}\right)$$

represents the area between the graph of y = f(x) and the x-axis over a particular interval [a, b]. Identify the function f(x) and the interval [a, b].

(b)[6] Use six subintervals and right endpoints to approximate the area under the graph of  $y = \sin^2 x$  over the interval  $[0, \pi]$ .